


鋸片系列

Slitting Saws Series



鎢鋼小徑鋸片- 粗齒數(16/28T)

SOLID CARBIDE SLITTING SAWS- Small Diameter- Large Teeth(16/28T)



※CCH：鉤齒型鋸片→依需求生產
 ※CCH Type is on request.

Milling Table 62


外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
10	0.15	3	16	CCN-01000-0015-016-0300	CCF-01000-0015-016-0300
10	0.20	3	16	CCN-01000-0020-016-0300	CCF-01000-0020-016-0300
10	0.25	3	16	CCN-01000-0025-016-0300	CCF-01000-0025-016-0300
10	0.30	3	16	CCN-01000-0030-016-0300	CCF-01000-0030-016-0300
10	0.40	3	16	CCN-01000-0040-016-0300	CCF-01000-0040-016-0300
10	0.50	3	16	CCN-01000-0050-016-0300	CCF-01000-0050-016-0300
10	0.60	3	16	CCN-01000-0060-016-0300	CCF-01000-0060-016-0300
10	0.70	3	16	CCN-01000-0070-016-0300	CCF-01000-0070-016-0300
10	0.80	3	16	CCN-01000-0080-016-0300	CCF-01000-0080-016-0300
10	0.90	3	16	CCN-01000-0090-016-0300	CCF-01000-0090-016-0300
10	1.00	3	16	CCN-01000-0100-016-0300	CCF-01000-0100-016-0300
外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
10	0.15	3	28	CCN-01000-0015-028-0300	CCF-01000-0015-028-0300
10	0.20	3	28	CCN-01000-0020-028-0300	CCF-01000-0020-028-0300
10	0.25	3	28	CCN-01000-0025-028-0300	CCF-01000-0025-028-0300
10	0.30	3	28	CCN-01000-0030-028-0300	CCF-01000-0030-028-0300
10	0.40	3	28	CCN-01000-0040-028-0300	CCF-01000-0040-028-0300
10	0.50	3	28	CCN-01000-0050-028-0300	CCF-01000-0050-028-0300
10	0.60	3	28	CCN-01000-0060-028-0300	CCF-01000-0060-028-0300
10	0.70	3	28	CCN-01000-0070-028-0300	CCF-01000-0070-028-0300
10	0.80	3	28	CCN-01000-0080-028-0300	CCF-01000-0080-028-0300
10	0.90	3	28	CCN-01000-0090-028-0300	CCF-01000-0090-028-0300
10	1.00	3	28	CCN-01000-0100-028-0300	CCF-01000-0100-028-0300

鎢鋼小徑鋸片- 粗齒數(28T)/中齒數(40T)

SOLID CARBIDE SLITTING SAWS- Small Diameter- Large Teeth(28T)/Middle Teeth(40T)




※CCH：鉤齒型鋸片→依需求生產
 ※CCH Type is on request.



外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
15	0.15	5	28	CCN-01500-0015-028-0500	CCF-01500-0015-028-0500
15	0.20	5	28	CCN-01500-0020-028-0500	CCF-01500-0020-028-0500
15	0.25	5	28	CCN-01500-0025-028-0500	CCF-01500-0025-028-0500
15	0.30	5	28	CCN-01500-0030-028-0500	CCF-01500-0030-028-0500
15	0.40	5	28	CCN-01500-0040-028-0500	CCF-01500-0040-028-0500
15	0.50	5	28	CCN-01500-0050-028-0500	CCF-01500-0050-028-0500
15	0.60	5	28	CCN-01500-0060-028-0500	CCF-01500-0060-028-0500
15	0.70	5	28	CCN-01500-0070-028-0500	CCF-01500-0070-028-0500
15	0.80	5	28	CCN-01500-0080-028-0500	CCF-01500-0080-028-0500
15	0.90	5	28	CCN-01500-0090-028-0500	CCF-01500-0090-028-0500
15	1.00	5	28	CCN-01500-0100-028-0500	CCF-01500-0100-028-0500
外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
15	0.15	5	40	CCN-01500-0015-040-0500	CCF-01500-0015-040-0500
15	0.20	5	40	CCN-01500-0020-040-0500	CCF-01500-0020-040-0500
15	0.25	5	40	CCN-01500-0025-040-0500	CCF-01500-0025-040-0500
15	0.30	5	40	CCN-01500-0030-040-0500	CCF-01500-0030-040-0500
15	0.40	5	40	CCN-01500-0040-040-0500	CCF-01500-0040-040-0500
15	0.50	5	40	CCN-01500-0050-040-0500	CCF-01500-0050-040-0500
15	0.60	5	40	CCN-01500-0060-040-0500	CCF-01500-0060-040-0500
15	0.70	5	40	CCN-01500-0070-040-0500	CCF-01500-0070-040-0500
15	0.80	5	40	CCN-01500-0080-040-0500	CCF-01500-0080-040-0500
15	0.90	5	40	CCN-01500-0090-040-0500	CCF-01500-0090-040-0500
15	1.00	5	40	CCN-01500-0100-040-0500	CCF-01500-0100-040-0500

鎢鋼小徑鋸片- 粗齒數(36T)/中齒數(56T)

SOLID CARBIDE SLITTING SAWS- Small Diameter- Large Teeth(36T)/Middle Teeth(56T)



※CCH：鉤齒型鋸片→依需求生產
 ※CCH Type is on request.

Milling Table 62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
20	0.15	5	36	CCN-02000-0015-036-0500	CCF-02000-0015-036-0500
20	0.20	5	36	CCN-02000-0020-036-0500	CCF-02000-0020-036-0500
20	0.25	5	36	CCN-02000-0025-036-0500	CCF-02000-0025-036-0500
20	0.30	5	36	CCN-02000-0030-036-0500	CCF-02000-0030-036-0500
20	0.40	5	36	CCN-02000-0040-036-0500	CCF-02000-0040-036-0500
20	0.50	5	36	CCN-02000-0050-036-0500	CCF-02000-0050-036-0500
20	0.60	5	36	CCN-02000-0060-036-0500	CCF-02000-0060-036-0500
20	0.70	5	36	CCN-02000-0070-036-0500	CCF-02000-0070-036-0500
20	0.80	5	36	CCN-02000-0080-036-0500	CCF-02000-0080-036-0500
20	0.90	5	36	CCN-02000-0090-036-0500	CCF-02000-0090-036-0500
20	1.00	5	36	CCN-02000-0100-036-0500	CCF-02000-0100-036-0500
20	1.20	5	36	CCN-02000-0120-036-0500	CCF-02000-0120-036-0500
20	1.50	5	36	CCN-02000-0150-036-0500	CCF-02000-0150-036-0500


外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
20	0.15	5	56	CCN-02000-0015-056-0500	CCF-02000-0015-056-0500
20	0.20	5	56	CCN-02000-0020-056-0500	CCF-02000-0020-056-0500
20	0.25	5	56	CCN-02000-0025-056-0500	CCF-02000-0025-056-0500
20	0.30	5	56	CCN-02000-0030-056-0500	CCF-02000-0030-056-0500
20	0.40	5	56	CCN-02000-0040-056-0500	CCF-02000-0040-056-0500
20	0.50	5	56	CCN-02000-0050-056-0500	CCF-02000-0050-056-0500
20	0.60	5	56	CCN-02000-0060-056-0500	CCF-02000-0060-056-0500
20	0.70	5	56	CCN-02000-0070-056-0500	CCF-02000-0070-056-0500
20	0.80	5	56	CCN-02000-0080-056-0500	CCF-02000-0080-056-0500
20	0.90	5	56	CCN-02000-0090-056-0500	CCF-02000-0090-056-0500
20	1.00	5	56	CCN-02000-0100-056-0500	CCF-02000-0100-056-0500
20	1.20	5	56	CCN-02000-0120-056-0500	CCF-02000-0120-056-0500
20	1.50	5	56	CCN-02000-0150-056-0500	CCF-02000-0150-056-0500

鎢鋼小徑鋸片- 粗齒數(36T)/中齒數(56T)

SOLID CARBIDE SLITTING SAWS- Small Diameter- Large Teeth(36T)/Middle Teeth(56T)



※CCH：鉤齒型鋸片→依需求生產
 ※CCH Type is on request.



Milling Table 62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
20	0.15	6	36	CCN-02000-0015-036-0600	CCF-02000-0015-036-0600
20	0.20	6	36	CCN-02000-0020-036-0600	CCF-02000-0020-036-0600
20	0.25	6	36	CCN-02000-0025-036-0600	CCF-02000-0025-036-0600
20	0.30	6	36	CCN-02000-0030-036-0600	CCF-02000-0030-036-0600
20	0.40	6	36	CCN-02000-0040-036-0600	CCF-02000-0040-036-0600
20	0.50	6	36	CCN-02000-0050-036-0600	CCF-02000-0050-036-0600
20	0.60	6	36	CCN-02000-0060-036-0600	CCF-02000-0060-036-0600
20	0.70	6	36	CCN-02000-0070-036-0600	CCF-02000-0070-036-0600
20	0.80	6	36	CCN-02000-0080-036-0600	CCF-02000-0080-036-0600
20	0.90	6	36	CCN-02000-0090-036-0600	CCF-02000-0090-036-0600
20	1.00	6	36	CCN-02000-0100-036-0600	CCF-02000-0100-036-0600
20	1.20	6	36	CCN-02000-0120-036-0600	CCF-02000-0120-036-0600
20	1.50	6	36	CCN-02000-0150-036-0600	CCF-02000-0150-036-0600


外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
20	0.15	6	56	CCN-02000-0015-056-0600	CCF-02000-0015-056-0600
20	0.20	6	56	CCN-02000-0020-056-0600	CCF-02000-0020-056-0600
20	0.25	6	56	CCN-02000-0025-056-0600	CCF-02000-0025-056-0600
20	0.30	6	56	CCN-02000-0030-056-0600	CCF-02000-0030-056-0600
20	0.40	6	56	CCN-02000-0040-056-0600	CCF-02000-0040-056-0600
20	0.50	6	56	CCN-02000-0050-056-0600	CCF-02000-0050-056-0600
20	0.60	6	56	CCN-02000-0060-056-0600	CCF-02000-0060-056-0600
20	0.70	6	56	CCN-02000-0070-056-0600	CCF-02000-0070-056-0600
20	0.80	6	56	CCN-02000-0080-056-0600	CCF-02000-0080-056-0600
20	0.90	6	56	CCN-02000-0090-056-0600	CCF-02000-0090-056-0600
20	1.00	6	56	CCN-02000-0100-056-0600	CCF-02000-0100-056-0600
20	1.20	6	56	CCN-02000-0120-056-0600	CCF-02000-0120-056-0600
20	1.50	6	56	CCN-02000-0150-056-0600	CCF-02000-0150-056-0600

鎢鋼小徑鋸片- 中齒數(56T)/細齒數(90/120T)

SOLID CARBIDE SLITTING SAWS- Small Diameter- Middle Teeth(56T)/Fine Teeth(90/120T)



※CCH：鉤齒型鋸片→依需求生產
※CCH Type is on request.




62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
30	0.20	6	56	CCN-03000-0020-056-0600	CCF-03000-0020-056-0600
30	0.25	6	56	CCN-03000-0025-056-0600	CCF-03000-0025-056-0600
30	0.30	6	56	CCN-03000-0030-056-0600	CCF-03000-0030-056-0600
30	0.40	6	56	CCN-03000-0040-056-0600	CCF-03000-0040-056-0600
30	0.50	6	56	CCN-03000-0050-056-0600	CCF-03000-0050-056-0600
30	0.60	6	56	CCN-03000-0060-056-0600	CCF-03000-0060-056-0600
30	0.70	6	56	CCN-03000-0070-056-0600	CCF-03000-0070-056-0600
30	0.80	6	56	CCN-03000-0080-056-0600	CCF-03000-0080-056-0600
30	0.90	6	56	CCN-03000-0090-056-0600	CCF-03000-0090-056-0600
30	1.00	6	56	CCN-03000-0100-056-0600	CCF-03000-0100-056-0600
30	1.10	6	56	CCN-03000-0110-056-0600	CCF-03000-0110-056-0600
30	1.20	6	56	CCN-03000-0120-056-0600	CCF-03000-0120-056-0600
30	1.50	6	56	CCN-03000-0150-056-0600	CCF-03000-0150-056-0600
30	2.00	6	56	CCN-03000-0200-056-0600	CCF-03000-0200-056-0600

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
30	0.20	6	120	CCN-03000-0020-120-0600	CCF-03000-0020-120-0600
30	0.25	6	120	CCN-03000-0025-120-0600	CCF-03000-0025-120-0600
30	0.30	6	120	CCN-03000-0030-120-0600	CCF-03000-0030-120-0600
30	0.40	6	120	CCN-03000-0040-120-0600	CCF-03000-0040-120-0600
30	0.50	6	120	CCN-03000-0050-120-0600	CCF-03000-0050-120-0600
30	0.60	6	120	CCN-03000-0060-120-0600	CCF-03000-0060-120-0600
30	0.70	6	120	CCN-03000-0070-120-0600	CCF-03000-0070-120-0600
30	0.80	6	120	CCN-03000-0080-120-0600	CCF-03000-0080-120-0600
30	0.90	6	120	CCN-03000-0090-120-0600	CCF-03000-0090-120-0600
30	1.00	6	120	CCN-03000-0100-120-0600	CCF-03000-0100-120-0600
30	1.10	6	90	CCN-03000-0110-090-0600	CCF-03000-0110-090-0600
30	1.20	6	90	CCN-03000-0120-090-0600	CCF-03000-0120-090-0600
30	1.50	6	90	CCN-03000-0150-090-0600	CCF-03000-0150-090-0600
30	2.00	6	90	CCN-03000-0200-090-0600	CCF-03000-0200-090-0600

鎢鋼小徑鋸片- 中齒數(56T)/細齒數(90/120T)

SOLID CARBIDE SLITTING SAWS- Small Diameter- Middle Teeth(56T)/Fine Teeth(90/120T)



※CCH：鉤齒型鋸片→依需求生產
※CCH Type is on request.


Milling Table 62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
45	0.50	12.7	56	CCN-04500-0050-056-1270	CCF-04500-0050-056-1270
45	0.60	12.7	56	CCN-04500-0060-056-1270	CCF-04500-0060-056-1270
45	0.70	12.7	56	CCN-04500-0070-056-1270	CCF-04500-0070-056-1270
45	0.80	12.7	56	CCN-04500-0080-056-1270	CCF-04500-0080-056-1270
45	0.90	12.7	56	CCN-04500-0090-056-1270	CCF-04500-0090-056-1270
45	1.00	12.7	56	CCN-04500-0100-056-1270	CCF-04500-0100-056-1270
45	1.10	12.7	56	CCN-04500-0110-056-1270	CCF-04500-0110-056-1270
45	1.50	12.7	56	CCN-04500-0150-056-1270	CCF-04500-0150-056-1270
45	2.00	12.7	56	CCN-04500-0200-056-1270	CCF-04500-0200-056-1270
45	2.50	12.7	56	CCN-04500-0250-056-1270	CCF-04500-0250-056-1270
45	3.00	12.7	56	CCN-04500-0300-056-1270	CCF-04500-0300-056-1270

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
45	0.20	12.7	90	CCN-04500-0020-090-1270	CCF-04500-0020-090-1270
45	0.25	12.7	90	CCN-04500-0025-090-1270	CCF-04500-0025-090-1270
45	0.30	12.7	90	CCN-04500-0030-090-1270	CCF-04500-0030-090-1270
45	0.40	12.7	90	CCN-04500-0040-090-1270	CCF-04500-0040-090-1270
45	0.50	12.7	90	CCN-04500-0050-090-1270	CCF-04500-0050-090-1270
45	0.60	12.7	90	CCN-04500-0060-090-1270	CCF-04500-0060-090-1270
45	0.70	12.7	90	CCN-04500-0070-090-1270	CCF-04500-0070-090-1270
45	0.80	12.7	90	CCN-04500-0080-090-1270	CCF-04500-0080-090-1270
45	0.90	12.7	90	CCN-04500-0090-090-1270	CCF-04500-0090-090-1270
45	1.00	12.7	90	CCN-04500-0100-090-1270	CCF-04500-0100-090-1270
45	1.10	12.7	90	CCN-04500-0110-090-1270	CCF-04500-0110-090-1270
45	1.50	12.7	90	CCN-04500-0150-090-1270	CCF-04500-0150-090-1270
45	2.00	12.7	90	CCN-04500-0200-090-1270	CCF-04500-0200-090-1270
45	2.50	12.7	90	CCN-04500-0250-090-1270	CCF-04500-0250-090-1270
45	3.00	12.7	90	CCN-04500-0300-090-1270	CCF-04500-0300-090-1270
45	0.20	12.7	120	CCN-04500-0020-120-1270	CCF-04500-0020-120-1270
45	0.25	12.7	120	CCN-04500-0025-120-1270	CCF-04500-0025-120-1270
45	0.30	12.7	120	CCN-04500-0030-120-1270	CCF-04500-0030-120-1270
45	0.40	12.7	120	CCN-04500-0040-120-1270	CCF-04500-0040-120-1270
45	0.50	12.7	120	CCN-04500-0050-120-1270	CCF-04500-0050-120-1270

鎢鋼鋸片- 中齒數(56/72T)

SOLID CARBIDE SLITTING SAWS- Middle Teeth(56/72T)




※CCH：鈎齒型鋸片→依需求生產
 ※CCH Type is on request.

Milling Table 62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
70#28	0.32	25.4	56	CCN-07000-0032-056-2540	CCF-07000-0032-056-2540
70#27	0.36	25.4	56	CCN-07000-0036-056-2540	CCF-07000-0036-056-2540
70#26	0.40	25.4	56	CCN-07000-0040-056-2540	CCF-07000-0040-056-2540
70#25	0.45	25.4	56	CCN-07000-0045-056-2540	CCF-07000-0045-056-2540
70#24	0.51	25.4	56	CCN-07000-0051-056-2540	CCF-07000-0051-056-2540
70#23	0.57	25.4	56	CCN-07000-0057-056-2540	CCF-07000-0057-056-2540
70#22	0.64	25.4	56	CCN-07000-0064-056-2540	CCF-07000-0064-056-2540
70#21	0.72	25.4	56	CCN-07000-0072-056-2540	CCF-07000-0072-056-2540
70#20	0.81	25.4	56	CCN-07000-0081-056-2540	CCF-07000-0081-056-2540
70#19	0.91	25.4	56	CCN-07000-0091-056-2540	CCF-07000-0091-056-2540
70#18	1.02	25.4	56	CCN-07000-0102-056-2540	CCF-07000-0102-056-2540
70#17	1.15	25.4	56	CCN-07000-0115-056-2540	CCF-07000-0115-056-2540
70#16	1.29	25.4	56	CCN-07000-0129-056-2540	CCF-07000-0129-056-2540
70#15	1.45	25.4	56	CCN-07000-0145-056-2540	CCF-07000-0145-056-2540
70#14	1.63	25.4	56	CCN-07000-0163-056-2540	CCF-07000-0163-056-2540
70#13	1.83	25.4	56	CCN-07000-0183-056-2540	CCF-07000-0183-056-2540
70#12	2.05	25.4	56	CCN-07000-0205-056-2540	CCF-07000-0205-056-2540
70#11	2.30	25.4	56	CCN-07000-0230-056-2540	CCF-07000-0230-056-2540
70#10	2.59	25.4	56	CCN-07000-0259-056-2540	CCF-07000-0259-056-2540
70#9	2.91	25.4	56	CCN-07000-0291-056-2540	CCF-07000-0291-056-2540
70#8	3.26	25.4	56	CCN-07000-0326-056-2540	CCF-07000-0326-056-2540
70#7	3.67	25.4	56	CCN-07000-0367-056-2540	CCF-07000-0367-056-2540
70#6	4.12	25.4	56	CCN-07000-0412-056-2540	CCF-07000-0412-056-2540
70#5	4.62	25.4	56	CCN-07000-0462-056-2540	CCF-07000-0462-056-2540
70#4	5.19	25.4	56	CCN-07000-0519-056-2540	CCF-07000-0519-056-2540
70#30	0.25	25.4	72	CCN-07000-0025-072-2540	CCF-07000-0025-072-2540
70#29	0.29	25.4	72	CCN-07000-0029-072-2540	CCF-07000-0029-072-2540
70#28	0.32	25.4	72	CCN-07000-0032-072-2540	CCF-07000-0032-072-2540
70#27	0.36	25.4	72	CCN-07000-0036-072-2540	CCF-07000-0036-072-2540
70#26	0.40	25.4	72	CCN-07000-0040-072-2540	CCF-07000-0040-072-2540
70#25	0.45	25.4	72	CCN-07000-0045-072-2540	CCF-07000-0045-072-2540
70#24	0.51	25.4	72	CCN-07000-0051-072-2540	CCF-07000-0051-072-2540
70#23	0.57	25.4	72	CCN-07000-0057-072-2540	CCF-07000-0057-072-2540
70#22	0.64	25.4	72	CCN-07000-0064-072-2540	CCF-07000-0064-072-2540
70#21	0.72	25.4	72	CCN-07000-0072-072-2540	CCF-07000-0072-072-2540
70#20	0.81	25.4	72	CCN-07000-0081-072-2540	CCF-07000-0081-072-2540
70#19	0.91	25.4	72	CCN-07000-0091-072-2540	CCF-07000-0091-072-2540
70#18	1.02	25.4	72	CCN-07000-0102-072-2540	CCF-07000-0102-072-2540
70#17	1.15	25.4	72	CCN-07000-0115-072-2540	CCF-07000-0115-072-2540
70#16	1.29	25.4	72	CCN-07000-0129-072-2540	CCF-07000-0129-072-2540
70#15	1.45	25.4	72	CCN-07000-0145-072-2540	CCF-07000-0145-072-2540
70#14	1.63	25.4	72	CCN-07000-0163-072-2540	CCF-07000-0163-072-2540
70#13	1.83	25.4	72	CCN-07000-0183-072-2540	CCF-07000-0183-072-2540
70#12	2.05	25.4	72	CCN-07000-0205-072-2540	CCF-07000-0205-072-2540
70#11	2.30	25.4	72	CCN-07000-0230-072-2540	CCF-07000-0230-072-2540
70#10	2.59	25.4	72	CCN-07000-0259-072-2540	CCF-07000-0259-072-2540
70#9	2.91	25.4	72	CCN-07000-0291-072-2540	CCF-07000-0291-072-2540
70#8	3.26	25.4	72	CCN-07000-0326-072-2540	CCF-07000-0326-072-2540

鎢鋼鋸片- 中齒數(56/72T)

SOLID CARBIDE SLITTING SAWS- Middle Teeth(56/72T)




※CCH：鉤齒型鋸片→依需求生產
 ※CCH Type is on request.

Milling Table 62

外徑 D	厚度 H	內徑 d	齒數 T	CCN 訂購編號 CCN Order No.	CCF 訂購編號 CCF Order No.
75	0.3	25.4	72	CCN-07500-0030-072-2540	CCF-07500-0030-072-2540
75	0.4	25.4	72	CCN-07500-0040-072-2540	CCF-07500-0040-072-2540
75	0.5	25.4	72	CCN-07500-0050-072-2540	CCF-07500-0050-072-2540
75	0.6	25.4	72	CCN-07500-0060-072-2540	CCF-07500-0060-072-2540
75	0.7	25.4	72	CCN-07500-0070-072-2540	CCF-07500-0070-072-2540
75	0.8	25.4	72	CCN-07500-0080-072-2540	CCF-07500-0080-072-2540
75	0.9	25.4	72	CCN-07500-0090-072-2540	CCF-07500-0090-072-2540
75	1.0	25.4	72	CCN-07500-0100-072-2540	CCF-07500-0100-072-2540
75	1.1	25.4	56	CCN-07500-0110-056-2540	CCF-07500-0110-056-2540
75	1.2	25.4	56	CCN-07500-0120-056-2540	CCF-07500-0120-056-2540
75	1.3	25.4	56	CCN-07500-0130-056-2540	CCF-07500-0130-056-2540
75	1.4	25.4	56	CCN-07500-0140-056-2540	CCF-07500-0140-056-2540
75	1.5	25.4	56	CCN-07500-0150-056-2540	CCF-07500-0150-056-2540
75	1.6	25.4	56	CCN-07500-0160-056-2540	CCF-07500-0160-056-2540
75	1.7	25.4	56	CCN-07500-0170-056-2540	CCF-07500-0170-056-2540
75	1.8	25.4	56	CCN-07500-0180-056-2540	CCF-07500-0180-056-2540
75	1.9	25.4	56	CCN-07500-0190-056-2540	CCF-07500-0190-056-2540
75	2.0	25.4	56	CCN-07500-0200-056-2540	CCF-07500-0200-056-2540
75	2.5	25.4	56	CCN-07500-0250-056-2540	CCF-07500-0250-056-2540
75	3.0	25.4	56	CCN-07500-0300-056-2540	CCF-07500-0300-056-2540
100	0.5	25.4	72	CCN-10000-0050-072-2540	CCF-10000-0050-072-2540
100	0.6	25.4	72	CCN-10000-0060-072-2540	CCF-10000-0060-072-2540
100	0.7	25.4	72	CCN-10000-0070-072-2540	CCF-10000-0070-072-2540
100	0.8	25.4	72	CCN-10000-0080-072-2540	CCF-10000-0080-072-2540
100	0.9	25.4	72	CCN-10000-0090-072-2540	CCF-10000-0090-072-2540
100	1.0	25.4	72	CCN-10000-0100-072-2540	CCF-10000-0100-072-2540
100	1.1	25.4	56	CCN-10000-0110-056-2540	CCF-10000-0110-056-2540
100	1.2	25.4	56	CCN-10000-0120-056-2540	CCF-10000-0120-056-2540
100	1.3	25.4	56	CCN-10000-0130-056-2540	CCF-10000-0130-056-2540
100	1.4	25.4	56	CCN-10000-0140-056-2540	CCF-10000-0140-056-2540
100	1.5	25.4	56	CCN-10000-0150-056-2540	CCF-10000-0150-056-2540
100	1.6	25.4	56	CCN-10000-0160-056-2540	CCF-10000-0160-056-2540
100	1.7	25.4	56	CCN-10000-0170-056-2540	CCF-10000-0170-056-2540
100	1.8	25.4	56	CCN-10000-0180-056-2540	CCF-10000-0180-056-2540
100	1.9	25.4	56	CCN-10000-0190-056-2540	CCF-10000-0190-056-2540
100	2.0	25.4	56	CCN-10000-0200-056-2540	CCF-10000-0200-056-2540
100	2.5	25.4	56	CCN-10000-0250-056-2540	CCF-10000-0250-056-2540
100	3.0	25.4	56	CCN-10000-0300-056-2540	CCF-10000-0300-056-2540

高速鋼鋸片- 中齒數(56T/72T)

HIGH SPEED STEEL SLITTING SAWS- Middle Teeth(56/72T)



※HCH：鉤齒型鋸片→依需求生產！
 ※HCH Type is dependent on demand.

Milling Table 63


外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
70#28	0.32	25.4	56	HCN-07000-0032-056-2540	HCF-07000-0032-056-2540
70#27	0.36	25.4	56	HCN-07000-0036-056-2540	HCF-07000-0036-056-2540
70#26	0.40	25.4	56	HCN-07000-0040-056-2540	HCF-07000-0040-056-2540
70#25	0.45	25.4	56	HCN-07000-0045-056-2540	HCF-07000-0045-056-2540
70#24	0.51	25.4	56	HCN-07000-0051-056-2540	HCF-07000-0051-056-2540
70#23	0.57	25.4	56	HCN-07000-0057-056-2540	HCF-07000-0057-056-2540
70#22	0.64	25.4	56	HCN-07000-0064-056-2540	HCF-07000-0064-056-2540
70#21	0.72	25.4	56	HCN-07000-0072-056-2540	HCF-07000-0072-056-2540
70#20	0.81	25.4	56	HCN-07000-0081-056-2540	HCF-07000-0081-056-2540
70#19	0.91	25.4	56	HCN-07000-0091-056-2540	HCF-07000-0091-056-2540
70#18	1.02	25.4	56	HCN-07000-0102-056-2540	HCF-07000-0102-056-2540
70#17	1.15	25.4	56	HCN-07000-0115-056-2540	HCF-07000-0115-056-2540
70#16	1.29	25.4	56	HCN-07000-0129-056-2540	HCF-07000-0129-056-2540
70#15	1.45	25.4	56	HCN-07000-0145-056-2540	HCF-07000-0145-056-2540
70#14	1.63	25.4	56	HCN-07000-0163-056-2540	HCF-07000-0163-056-2540
70#13	1.83	25.4	56	HCN-07000-0183-056-2540	HCF-07000-0183-056-2540
70#12	2.05	25.4	56	HCN-07000-0205-056-2540	HCF-07000-0205-056-2540
70#11	2.30	25.4	56	HCN-07000-0230-056-2540	HCF-07000-0230-056-2540
70#10	2.59	25.4	56	HCN-07000-0259-056-2540	HCF-07000-0259-056-2540
70#9	2.91	25.4	56	HCN-07000-0291-056-2540	HCF-07000-0291-056-2540
70#8	3.26	25.4	56	HCN-07000-0326-056-2540	HCF-07000-0326-056-2540
70#7	3.67	25.4	56	HCN-07000-0367-056-2540	HCF-07000-0367-056-2540
70#6	4.12	25.4	56	HCN-07000-0412-056-2540	HCF-07000-0412-056-2540
70#5	4.62	25.4	56	HCN-07000-0462-056-2540	HCF-07000-0462-056-2540
70#4	5.19	25.4	56	HCN-07000-0519-056-2540	HCF-07000-0519-056-2540
外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
70#30	0.25	25.4	72	HCN-07000-0025-072-2540	HCF-07000-0025-072-2540
70#29	0.29	25.4	72	HCN-07000-0029-072-2540	HCF-07000-0029-072-2540
70#28	0.32	25.4	72	HCN-07000-0032-072-2540	HCF-07000-0032-072-2540
70#27	0.36	25.4	72	HCN-07000-0036-072-2540	HCF-07000-0036-072-2540
70#26	0.40	25.4	72	HCN-07000-0040-072-2540	HCF-07000-0040-072-2540
70#25	0.45	25.4	72	HCN-07000-0045-072-2540	HCF-07000-0045-072-2540
70#24	0.51	25.4	72	HCN-07000-0051-072-2540	HCF-07000-0051-072-2540
70#23	0.57	25.4	72	HCN-07000-0057-072-2540	HCF-07000-0057-072-2540
70#22	0.64	25.4	72	HCN-07000-0064-072-2540	HCF-07000-0064-072-2540
70#21	0.72	25.4	72	HCN-07000-0072-072-2540	HCF-07000-0072-072-2540
70#20	0.81	25.4	72	HCN-07000-0081-072-2540	HCF-07000-0081-072-2540
70#19	0.91	25.4	72	HCN-07000-0091-072-2540	HCF-07000-0091-072-2540
70#18	1.02	25.4	72	HCN-07000-0102-072-2540	HCF-07000-0102-072-2540
70#17	1.15	25.4	72	HCN-07000-0115-072-2540	HCF-07000-0115-072-2540
70#16	1.29	25.4	72	HCN-07000-0129-072-2540	HCF-07000-0129-072-2540
70#15	1.45	25.4	72	HCN-07000-0145-072-2540	HCF-07000-0145-072-2540
70#14	1.63	25.4	72	HCN-07000-0163-072-2540	HCF-07000-0163-072-2540
70#13	1.83	25.4	72	HCN-07000-0183-072-2540	HCF-07000-0183-072-2540
70#12	2.05	25.4	72	HCN-07000-0205-072-2540	HCF-07000-0205-072-2540
70#11	2.30	25.4	72	HCN-07000-0230-072-2540	HCF-07000-0230-072-2540
70#10	2.59	25.4	72	HCN-07000-0259-072-2540	HCF-07000-0259-072-2540
70#9	2.91	25.4	72	HCN-07000-0291-072-2540	HCF-07000-0291-072-2540
70#8	3.26	25.4	72	HCN-07000-0326-072-2540	HCF-07000-0326-072-2540

→ 切削條件表 P.297
 Cutting Condition

→ 參考資料 P.261
 Technical Data

高速鋼鋸片- 中齒數(56/72T)細齒數(100T)

HIGH SPEED STEEL SLITTINGSAW- Middle Teeth(56/72T)/Fine Teeth(100T)



※HCH：鈎齒型鋸片→依需求生產！
 ※HCH Type is dependent on demand.




63

外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
70#30	0.25	25.4	100	HCN-07000-0025-100-2540	HCF-07000-0025-100-2540
70#29	0.29	25.4	100	HCN-07000-0029-100-2540	HCF-07000-0029-100-2540
70#28	0.32	25.4	100	HCN-07000-0032-100-2540	HCF-07000-0032-100-2540
70#27	0.36	25.4	100	HCN-07000-0036-100-2540	HCF-07000-0036-100-2540
70#26	0.40	25.4	100	HCN-07000-0040-100-2540	HCF-07000-0040-100-2540
70#25	0.45	25.4	100	HCN-07000-0045-100-2540	HCF-07000-0045-100-2540
70#24	0.51	25.4	100	HCN-07000-0051-100-2540	HCF-07000-0051-100-2540
70#23	0.57	25.4	100	HCN-07000-0057-100-2540	HCF-07000-0057-100-2540
70#22	0.64	25.4	100	HCN-07000-0064-100-2540	HCF-07000-0064-100-2540
70#21	0.72	25.4	100	HCN-07000-0072-100-2540	HCF-07000-0072-100-2540
70#20	0.81	25.4	100	HCN-07000-0081-100-2540	HCF-07000-0081-100-2540
70#19	0.91	25.4	100	HCN-07000-0091-100-2540	HCF-07000-0091-100-2540
70#18	1.02	25.4	100	HCN-07000-0102-100-2540	HCF-07000-0102-100-2540
70#17	1.15	25.4	100	HCN-07000-0115-100-2540	HCF-07000-0115-100-2540
70#16	1.29	25.4	100	HCN-07000-0129-100-2540	HCF-07000-0129-100-2540
70#15	1.45	25.4	100	HCN-07000-0145-100-2540	HCF-07000-0145-100-2540
70#14	1.63	25.4	100	HCN-07000-0163-100-2540	HCF-07000-0163-100-2540
70#13	1.83	25.4	100	HCN-07000-0183-100-2540	HCF-07000-0183-100-2540
70#12	2.05	25.4	100	HCN-07000-0205-100-2540	HCF-07000-0205-100-2540

外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
75	0.3	25.4	72	HCN-07500-0030-072-2540	HCF-07500-0030-072-2540
75	0.4	25.4	72	HCN-07500-0040-072-2540	HCF-07500-0040-072-2540
75	0.5	25.4	72	HCN-07500-0050-072-2540	HCF-07500-0050-072-2540
75	0.6	25.4	72	HCN-07500-0060-072-2540	HCF-07500-0060-072-2540
75	0.7	25.4	72	HCN-07500-0070-072-2540	HCF-07500-0070-072-2540
75	0.8	25.4	72	HCN-07500-0080-072-2540	HCF-07500-0080-072-2540
75	0.9	25.4	72	HCN-07500-0090-072-2540	HCF-07500-0090-072-2540
75	1.0	25.4	72	HCN-07500-0100-072-2540	HCF-07500-0100-072-2540
75	1.1	25.4	56	HCN-07500-0110-056-2540	HCF-07500-0110-056-2540
75	1.2	25.4	56	HCN-07500-0120-056-2540	HCF-07500-0120-056-2540
75	1.3	25.4	56	HCN-07500-0130-056-2540	HCF-07500-0130-056-2540
75	1.4	25.4	56	HCN-07500-0140-056-2540	HCF-07500-0140-056-2540
75	1.5	25.4	56	HCN-07500-0150-056-2540	HCF-07500-0150-056-2540
75	1.6	25.4	56	HCN-07500-0160-056-2540	HCF-07500-0160-056-2540
75	1.7	25.4	56	HCN-07500-0170-056-2540	HCF-07500-0170-056-2540
75	1.8	25.4	56	HCN-07500-0180-056-2540	HCF-07500-0180-056-2540
75	1.9	25.4	56	HCN-07500-0190-056-2540	HCF-07500-0190-056-2540
75	2.0	25.4	56	HCN-07500-0200-056-2540	HCF-07500-0200-056-2540
75	2.5	25.4	56	HCN-07500-0250-056-2540	HCF-07500-0250-056-2540
75	3.0	25.4	56	HCN-07500-0300-056-2540	HCF-07500-0300-056-2540

高速鋼鋸片- 中齒數(56/72T)/細齒數(100T)

HIGH SPEED STEEL SLITTING SAWS- Middle Teeth(56/72T)/Fine Teeth(100T)




※HCH：鉤齒型鋸片→依需求生產！
※HCH Type is dependent on demand.

Milling Table 63

外徑 D	厚度 H	內徑 d	齒數 T	HCN訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
100	0.5	25.4	72	HCN-10000-0050-072-2540	HCF-10000-0050-072-2540
100	0.6	25.4	72	HCN-10000-0060-072-2540	HCF-10000-0060-072-2540
100	0.7	25.4	72	HCN-10000-0070-072-2540	HCF-10000-0070-072-2540
100	0.8	25.4	72	HCN-10000-0080-072-2540	HCF-10000-0080-072-2540
100	0.9	25.4	72	HCN-10000-0090-072-2540	HCF-10000-0090-072-2540
100	1.0	25.4	72	HCN-10000-0100-072-2540	HCF-10000-0100-072-2540
100	1.1	25.4	56	HCN-10000-0110-056-2540	HCF-10000-0110-056-2540
100	1.2	25.4	56	HCN-10000-0120-056-2540	HCF-10000-0120-056-2540
100	1.3	25.4	56	HCN-10000-0130-056-2540	HCF-10000-0130-056-2540
100	1.4	25.4	56	HCN-10000-0140-056-2540	HCF-10000-0140-056-2540
100	1.5	25.4	56	HCN-10000-0150-056-2540	HCF-10000-0150-056-2540
100	1.6	25.4	56	HCN-10000-0160-056-2540	HCF-10000-0160-056-2540
100	1.7	25.4	56	HCN-10000-0170-056-2540	HCF-10000-0170-056-2540
100	1.8	25.4	56	HCN-10000-0180-056-2540	HCF-10000-0180-056-2540
100	1.9	25.4	56	HCN-10000-0190-056-2540	HCF-10000-0190-056-2540
100	2.0	25.4	56	HCN-10000-0200-056-2540	HCF-10000-0200-056-2540
100	2.5	25.4	56	HCN-10000-0250-056-2540	HCF-10000-0250-056-2540
100	3.0	25.4	56	HCN-10000-0300-056-2540	HCF-10000-0300-056-2540
外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
125	0.8	25.4	100	HCN-12500-0080-100-2540	HCF-12500-0080-100-2540
125	1.0	25.4	100	HCN-12500-0100-100-2540	HCF-12500-0100-100-2540
125	1.2	25.4	72	HCN-12500-0120-072-2540	HCF-12500-0120-072-2540
125	1.5	25.4	72	HCN-12500-0150-072-2540	HCF-12500-0150-072-2540
125	2.0	25.4	72	HCN-12500-0200-072-2540	HCF-12500-0200-072-2540
125	2.5	25.4	72	HCN-12500-0250-072-2540	HCF-12500-0250-072-2540
125	3.0	25.4	72	HCN-12500-0300-072-2540	HCF-12500-0300-072-2540
外徑 D	厚度 H	內徑 d	齒數 T	HCN 訂購編號 HCN Order No.	HCF 訂購編號 HCF Order No.
150	1.0	25.4	100	HCN-15000-0100-100-2540	HCF-15000-0100-100-2540
150	1.2	25.4	100	HCN-15000-0120-100-2540	HCF-15000-0120-100-2540
150	1.6	25.4	100	HCN-15000-0160-100-2540	HCF-15000-0160-100-2540
150	2.0	25.4	100	HCN-15000-0200-100-2540	HCF-15000-0200-100-2540
150	2.5	25.4	100	HCN-15000-0250-100-2540	HCF-15000-0250-100-2540
150	3.0	25.4	100	HCN-15000-0300-100-2540	HCF-15000-0300-100-2540
150	4.0	25.4	100	HCN-15000-0400-100-2540	HCF-15000-0400-100-2540
150	5.0	25.4	100	HCN-15000-0500-100-2540	HCF-15000-0500-100-2540

高速鋼圓刀

HIGH SPEED STEEL CIRCULAR KNIVES




外徑 D	厚度 H	內徑 d	HB(單斜雙角)訂購編號 HB(Single Bevel With Top Bevel) Order No.	HB(雙斜單角)訂購編號 HB(Double Bevel) Order No.
50	0.5	25.4	HB2-05000-0050-2540	HB3-05000-0050-2540
50	1.0	25.4	HB2-05000-0100-2540	HB3-05000-0100-2540
50	1.5	25.4	HB2-05000-0150-2540	HB3-05000-0150-2540
50	2.0	25.4	HB2-05000-0200-2540	HB3-05000-0200-2540
60	0.5	25.4	HB2-06000-0050-2540	HB3-06000-0050-2540
60	1.0	25.4	HB2-06000-0100-2540	HB3-06000-0100-2540
60	1.5	25.4	HB2-06000-0150-2540	HB3-06000-0150-2540
60	2.0	25.4	HB2-06000-0200-2540	HB3-06000-0200-2540
75	0.5	25.4	HB2-07500-0050-2540	HB3-07500-0050-2540
75	1.0	25.4	HB2-07500-0100-2540	HB3-07500-0100-2540
75	1.5	25.4	HB2-07500-0150-2540	HB3-07500-0150-2540
75	2.0	25.4	HB2-07500-0200-2540	HB3-07500-0200-2540
90	1.0	25.4	HB2-09000-0100-2540	HB3-09000-0100-2540
90	1.5	25.4	HB2-09000-0150-2540	HB3-09000-0150-2540
90	2.0	25.4	HB2-09000-0200-2540	HB3-09000-0200-2540
100	1.0	25.4	HB2-10000-0100-2540	HB3-10000-0100-2540
100	1.5	25.4	HB2-10000-0150-2540	HB3-10000-0150-2540
100	2.0	25.4	HB2-10000-0200-2540	HB3-10000-0200-2540
125	1.5	25.4	HB2-12500-0150-2540	HB3-12500-0150-2540
125	2.0	25.4	HB2-12500-0200-2540	HB3-12500-0200-2540
150	2.0	25.4	HB2-15000-0200-2540	HB3-15000-0200-2540
150	2.5	25.4	HB2-15000-0250-2540	HB3-15000-0250-2540
200	2.0	25.4	HB2-20000-0200-2540	HB3-20000-0200-2540
200	2.5	25.4	HB2-20000-0250-2540	HB3-20000-0250-2540
200	3.0	25.4	HB2-20000-0300-2540	HB3-20000-0300-2540
250	2.0	25.4	HB2-25000-0200-2540	HB3-25000-0200-2540
250	3.0	25.4	HB2-25000-0300-2540	HB3-25000-0300-2540

HSS Circular Knives

高鈷鋼小徑鋸片- 細齒數(90/120T)

HIGH SPEED STEEL WITH COBALT SLITTING SAWS- Small Diameter- Fine Teeth(90/120T)




※KCH：鉤齒型鋸片→依需求生產！
※KCH Type is dependent on demand.

Milling Table 63

外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.
30	0.20	6	120	KCN-03000-0020-120-0600	KCF-03000-0020-120-0600
30	0.25	6	120	KCN-03000-0025-120-0600	KCF-03000-0025-120-0600
30	0.30	6	120	KCN-03000-0030-120-0600	KCF-03000-0030-120-0600
30	0.40	6	120	KCN-03000-0040-120-0600	KCF-03000-0040-120-0600
30	0.50	6	120	KCN-03000-0050-120-0600	KCF-03000-0050-120-0600
30	0.60	6	120	KCN-03000-0060-120-0600	KCF-03000-0060-120-0600
30	0.70	6	120	KCN-03000-0070-120-0600	KCF-03000-0070-120-0600
30	0.80	6	120	KCN-03000-0080-120-0600	KCF-03000-0080-120-0600
30	0.90	6	120	KCN-03000-0090-120-0600	KCF-03000-0090-120-0600
30	1.00	6	120	KCN-03000-0100-120-0600	KCF-03000-0100-120-0600
30	1.20	6	90	KCN-03000-0120-090-0600	KCF-03000-0120-090-0600
30	1.50	6	90	KCN-03000-0150-090-0600	KCF-03000-0150-090-0600
30	2.00	6	90	KCN-03000-0200-090-0600	KCF-03000-0200-090-0600
45	0.20	12.7	90	KCN-04500-0020-090-1270	KCF-04500-0020-090-1270
45	0.25	12.7	90	KCN-04500-0025-090-1270	KCF-04500-0025-090-1270
45	0.30	12.7	90	KCN-04500-0030-090-1270	KCF-04500-0030-090-1270
45	0.40	12.7	90	KCN-04500-0040-090-1270	KCF-04500-0040-090-1270
45	0.50	12.7	90	KCN-04500-0050-090-1270	KCF-04500-0050-090-1270
45	0.60	12.7	90	KCN-04500-0060-090-1270	KCF-04500-0060-090-1270
45	0.70	12.7	90	KCN-04500-0070-090-1270	KCF-04500-0070-090-1270
45	0.80	12.7	90	KCN-04500-0080-090-1270	KCF-04500-0080-090-1270
45	0.90	12.7	90	KCN-04500-0090-090-1270	KCF-04500-0090-090-1270
45	1.00	12.7	90	KCN-04500-0100-090-1270	KCF-04500-0100-090-1270
45	1.50	12.7	90	KCN-04500-0150-090-1270	KCF-04500-0150-090-1270
45	2.00	12.7	90	KCN-04500-0200-090-1270	KCF-04500-0200-090-1270
45	2.50	12.7	90	KCN-04500-0250-090-1270	KCF-04500-0250-090-1270
45	3.00	12.7	90	KCN-04500-0300-090-1270	KCF-04500-0300-090-1270

高鈷鋼鋸片- 中齒數(56/72T)

HIGH SPEED STEEL WITH COBALT SLITTING SAWS- Middle Teeth(56/72T)



※KCH：鉤齒型鋸片→依需求生產！
 ※KCH Type is dependent on demand.

Milling Table 63

外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.
70#28	0.32	25.4	56	KCN-07000-0032-056-2540	KCF-07000-0032-056-2540
70#27	0.36	25.4	56	KCN-07000-0036-056-2540	KCF-07000-0036-056-2540
70#26	0.40	25.4	56	KCN-07000-0040-056-2540	KCF-07000-0040-056-2540
70#25	0.45	25.4	56	KCN-07000-0045-056-2540	KCF-07000-0045-056-2540
70#24	0.51	25.4	56	KCN-07000-0051-056-2540	KCF-07000-0051-056-2540
70#23	0.57	25.4	56	KCN-07000-0057-056-2540	KCF-07000-0057-056-2540
70#22	0.64	25.4	56	KCN-07000-0064-056-2540	KCF-07000-0064-056-2540
70#21	0.72	25.4	56	KCN-07000-0072-056-2540	KCF-07000-0072-056-2540
70#20	0.81	25.4	56	KCN-07000-0081-056-2540	KCF-07000-0081-056-2540
70#19	0.91	25.4	56	KCN-07000-0091-056-2540	KCF-07000-0091-056-2540
70#18	1.02	25.4	56	KCN-07000-0102-056-2540	KCF-07000-0102-056-2540
70#17	1.15	25.4	56	KCN-07000-0115-056-2540	KCF-07000-0115-056-2540
70#16	1.29	25.4	56	KCN-07000-0129-056-2540	KCF-07000-0129-056-2540
70#15	1.45	25.4	56	KCN-07000-0145-056-2540	KCF-07000-0145-056-2540
70#14	1.63	25.4	56	KCN-07000-0163-056-2540	KCF-07000-0163-056-2540
70#13	1.83	25.4	56	KCN-07000-0183-056-2540	KCF-07000-0183-056-2540
70#12	2.05	25.4	56	KCN-07000-0205-056-2540	KCF-07000-0205-056-2540
70#11	2.30	25.4	56	KCN-07000-0230-056-2540	KCF-07000-0230-056-2540
70#10	2.59	25.4	56	KCN-07000-0259-056-2540	KCF-07000-0259-056-2540
70#9	2.91	25.4	56	KCN-07000-0291-056-2540	KCF-07000-0291-056-2540
70#8	3.26	25.4	56	KCN-07000-0326-056-2540	KCF-07000-0326-056-2540
70#7	3.67	25.4	56	KCN-07000-0367-056-2540	KCF-07000-0367-056-2540
70#6	4.12	25.4	56	KCN-07000-0412-056-2540	KCF-07000-0412-056-2540
70#5	4.62	25.4	56	KCN-07000-0462-056-2540	KCF-07000-0462-056-2540
70#4	5.19	25.4	56	KCN-07000-0519-056-2540	KCF-07000-0519-056-2540
外徑 D	厚度 H	內徑 d	齒數 T	KCN 訂購編號 KCN Order No.	KCF 訂購編號 KCF Order No.
70#30	0.25	25.4	72	KCN-07000-0025-072-2540	KCF-07000-0025-072-2540
70#29	0.29	25.4	72	KCN-07000-0029-072-2540	KCF-07000-0029-072-2540
70#28	0.32	25.4	72	KCN-07000-0032-072-2540	KCF-07000-0032-072-2540
70#27	0.36	25.4	72	KCN-07000-0036-072-2540	KCF-07000-0036-072-2540
70#26	0.40	25.4	72	KCN-07000-0040-072-2540	KCF-07000-0040-072-2540
70#25	0.45	25.4	72	KCN-07000-0045-072-2540	KCF-07000-0045-072-2540
70#24	0.51	25.4	72	KCN-07000-0051-072-2540	KCF-07000-0051-072-2540
70#23	0.57	25.4	72	KCN-07000-0057-072-2540	KCF-07000-0057-072-2540
70#22	0.64	25.4	72	KCN-07000-0064-072-2540	KCF-07000-0064-072-2540
70#21	0.72	25.4	72	KCN-07000-0072-072-2540	KCF-07000-0072-072-2540
70#20	0.81	25.4	72	KCN-07000-0081-072-2540	KCF-07000-0081-072-2540
70#19	0.91	25.4	72	KCN-07000-0091-072-2540	KCF-07000-0091-072-2540
70#18	1.02	25.4	72	KCN-07000-0102-072-2540	KCF-07000-0102-072-2540
70#17	1.15	25.4	72	KCN-07000-0115-072-2540	KCF-07000-0115-072-2540
70#16	1.29	25.4	72	KCN-07000-0129-072-2540	KCF-07000-0129-072-2540
70#15	1.45	25.4	72	KCN-07000-0145-072-2540	KCF-07000-0145-072-2540
70#14	1.63	25.4	72	KCN-07000-0163-072-2540	KCF-07000-0163-072-2540
70#13	1.83	25.4	72	KCN-07000-0183-072-2540	KCF-07000-0183-072-2540
70#12	2.05	25.4	72	KCN-07000-0205-072-2540	KCF-07000-0205-072-2540
70#11	2.30	25.4	72	KCN-07000-0230-072-2540	KCF-07000-0230-072-2540
70#10	2.59	25.4	72	KCN-07000-0259-072-2540	KCF-07000-0259-072-2540
70#9	2.91	25.4	72	KCN-07000-0291-072-2540	KCF-07000-0291-072-2540
70#8	3.26	25.4	72	KCN-07000-0326-072-2540	KCF-07000-0326-072-2540

→ 切削條件表 P.297
 Cutting Condition

→ 參考資料 P.261
 Technical Data

